

BIOCYL[™] XC3xx C1 Part B / MSDS / Page 1/6

Revision N°2 Supersedes: 17 February 2009

BIOCYL[™] XC3xx C1 Part B Material Safety Data Sheet

1. Identification of the product and the company

Trade Name: BIOCYL[™] XC3xx C1 Part B Type of product: Silicone polymer mixture

Company: Nanocyl sa

Date: 4 June 2009

Rue de l'Essor, 4 B-5060 Sambreville

Belgium

Phone: + 32 71 750 380 (office hour)

Fax: + 32 71 750 390 E-mail: info@nanocyl.com

2. Hazards identification

Hazard designation: **T** Toxic

N Dangerous for the environment

Health hazards: R22 Harmful if swallowed.

R26 Very toxic by inhalation.
R36/38 Irritating to eyes and skin.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

3. Composition/information on ingredients

| Components | N° CAS | % (wt.) | Classification |
|----------------------|------------|---------|-----------------------|
| Dibutyltin dilaurate | 77-58-7 | < 10 % | T+ N |
| | | | R22 R26 R36/38 R50/53 |
| Polydimethylsiloxane | 63148-62-9 | > 90 % | / |

4. First aid measures

After skin contact: Remove contaminated clothing immediately. Wash contacted skin areas with plenty

of cold to lukewarm water for at least 15 minutes. Get medical aid.

Nanocyl S.A.

Rue de l'Essor 4 B-5060 Sambreville BELGIUM

Tel +32 71 750 380 Fax +32 71 750 390 sales@nanocyl.com **US contact** info-us@nanocyl.com



BIOCYL[™] XC3xx C1 Part B / MSDS / Page 2/6

Supersedes: 17 February 2009

Revision N°2

Eye contact:

Date: 4 June 2009

Immediately hold the eyes open and rinse with water for a sufficiently long

period of time (at least 15 minutes); occasionally lifting the upper and

lower eyelids. Get medical aid.

After inhalation: If vapours are inhaled, move the person into fresh air, keep warm and

allow to rest. If breathing is difficult, oxygen may be administered and

medical attention should be obtained.

Ingestion: Do not induce vomiting. Rinse mouth with water and obtain medical

attention. Never give anything by mouth to an unconscious person.

5. Fire-fighting measures

Suitable extinguishing media: Water fog, Carbon Dioxide, Dry Chemical, or Foam.

Specific hazards: /

Protective equipments: Wear self-contained breathing apparatus. Wear suitable protective

clothing.

Combustion products: May form toxic materials, carbon monoxide, carbon dioxide.

6. Accidental release measures

Personal precautions: Equip cleanup crew with proper protection (see chapter 8). Avoid inhaling

mists and vapours. Avoid contact with eyes and skin.


Environmental precautions: Prevent from spreading or entering into drains, ditches or rivers by using

sand, earth or other appropriate barriers. Do not empty into drains.

Spill Procedures: Approach suspected leak areas with caution. The spilled product

produces a slippery surface. Cover with inert absorbent material (e.g.

sand, vermiculite) and collect for disposal.



Date: 4 June 2009 Revision N°2

BIOCYLTM XC3xx C1 Part B / MSDS / Page 3/6

Supersedes: 17 February 2009

7. Handling and storage

Handling: Good ventilation of the workplace required. Handle in accordance with good

industrial hygiene and safety procedures. Contact with the skin and the eyes must be avoided. Do not breathe dust, vapour, mist or gas. Wash with soap and water before eating, drinking, smoking, applying cosmetics, or using toilet

facilities.

Storage: Keep only in the original closed container in a dedicated place. Keep containers

in a cool, dry place with adequate ventilation. Keep away from open flames and

high temperature.

8. Exposure controls / personal protection

Personal protective equipment:

Hand protection: Chemical protective gloves.

Skin and body protection: Wear chemical-resistant gloves and other clothing as required to minimize

contact.

Respiratory protection: Wear appropriate respirator when ventilation is inadequate or in case of

prolonged exposure.

Eye protection: Chemical goggles or safety glasses.

In case of contact, ensure prompt removal from eyes, skin and clothing. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and leaving work. Facilities storing or utilizing this material should be equipped with an eyewash facility.

9. Physical and chemical properties

Physical state: viscous liquid
Colour: light yellow
Odour: mild odour
Viscosity: not determined

Nanocyl S.A.

Rue de l'Essor 4 Tel +32 71 750 380 B-5060 Sambreville Fax +32 71 750 390 BELGIUM sales@nanocyl.com **US contact** info-us@nanocyl.com



BIOCYLTM XC3xx C1 Part B / MSDS / Page 4/6

Supersedes: 17 February 2009

Vapor pressure: not determined
Vapor density: not determined
Solubility in Water: not determined
Flash point: not determined
Ignition temperature: not determined

NOTE: The physical data presented above are typical values and should not be construed as a specification.

10. Stability and reactivity

Date: 4 June 2009

Revision N°2

Stability: Stable under normal conditions. Hazardous polymerization will not occur.

Materials to avoid: Can react with strong oxidizing agents, strong bases.

Conditions to avoid: Heat.

Hazardous combustion or Organic acid vapours, formaldehyde, silicon dioxide, carbon monoxide, carbon decomposition products: dioxide, tin oxides.

11. Toxicological information

Ingestion: Not determined.

Inhalation: Not determined.

Skin: Not determined.

Eyes: Not determined.

12. Ecological information

Environmental fate

Not determined.


distribution:

Ecotoxicity effects: Not determined.

Nanocyl S.A.

Rue de l'Essor 4 Tel +3 B-5060 Sambreville Fax +3 BELGIUM salesí

Tel +32 71 750 380 Fax +32 71 750 390 sales@nanocyl.com **US contact** info-us@nanocyl.com



Date: 4 June 2009 Revision N°2

BIOCYL[™] XC3xx C1 Part B / MSDS / Page 5/6

Supersedes: 17 February 2009

13. Disposal considerations

Product: If the material becomes a waste, consider it as special waste. It can be destroyed

by incineration in accordance with local, state and federal regulations.

Container: Empty containers can be landfilled after cleaning, when in compliance with the

Environmental Protection Regulation.

14. Transport information

ADR/RID:

UN-No: 2922
Class: 8
Sub risk: 6.1
Packaging group: III
Risk No.: 86
ADR/RID-Labels: 8 (6.1)

Proper shipping name: Corrosive liquid, toxic, nos

Contains: dibutyltin dilaurate

IMDG:

UN-No: 2922
Class: 8
Sub risk: 6.1
Packaging group: III
Labels: 8 (6.1)

Proper shipping name: Corrosive liquid, toxic, nos

Contains: dibutyltin dilaurate



BIOCYLTM XC3xx C1 Part B / MSDS / Page 6/6

Supersedes: 17 February 2009

IATA:

Date: 4 June 2009

Revision N°2

UN-No: 2922
Class: 8
Sub risk: 6.1
Packaging group: III
Labels: 8 (6.1)

Proper shipping name: Corrosive liquid, toxic, nos

Contains: dibutyltin dilaurate

15. Regulatory information

Labelling according to EEC Directive

Symbol(s): T Toxic

N Dangerous for the environment

R Phrase(s): R22 Harmful if swallowed.

R26 Very toxic by inhalation.R36/38 Irritating to eyes and skin.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

S Phrase(s): S26 In case of contact with eyes, rinse immediately with plenty of water

and seek medical advice.

S28 After contact with skin, wash immediately with plenty of soap and

water.

S45 In case of accident or if you feel unwell, seek medical advice

immediately.

S61 Avoid release to the environment. Refer to special instruction/ safety

data sheets.

Date: 4 June 2009 Revision N°2

BIOCYL[™] XC3xx C1 Part B / MSDS / Page 7/6

Supersedes: 17 February 2009

16. Other information

The contents and format of this MSDS are in accordance with EEC Regulation REACH 1907/2006 art. 31.

Disclaimer: Nanocyl s.a. provides the information contained herein in good faith and makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this material.