



Date: 9 June 2009 Revision N°3 PLASTICYL<sup>™</sup> PA1501 / MSDS / Page 1/5

Supersedes: 11 March 2008

# PLASTICYL<sup>™</sup> PA1501 Material Safety Data Sheet

# 1. Identification of the product and the company

Trade Name: PLASTICYL™ PA1501

Type of product: Carbon/Polyamide 6,6 polymer mixture

Company: Nanocyl sa

Rue de l'Essor, 4 B-5060 Sambreville

Belgium

Phone: + 32 71 750 380 (office hour)

Fax: + 32 71 750 390 E-mail: info@nanocyl.com

#### 2. Hazards identification

This product is not dangerous product for health and environment.

### 3. Composition/information on ingredients

Components	N° CAS	% (wt.)	Classification
Polyamide 6,6	32131-17-2	80 – 85 %	/
Synthetic graphite (Carbon nanotubes)	7782-42-5	15 - 20 %	/

### 4. First aid measures

After skin contact: In case of contact with molten product, immediately flood the affected area with cold

water. Do not pull solidified product away from the skin. Transport to nearest medical

facility for additional treatment.

Eye contact: Hold the eyes open and rinse with water for a sufficiently long period of time (at least

10 minutes). Obtain medical attention if pain, blurred vision, swelling, burning or

redness persist.

After inhalation: If vapours are inhaled, move the person into fresh air, keep warm and allow to rest. If

breathing is difficult, oxygen may be administered and medical attention should be


obtained.

Nanocyl S.A.

Rue de l'Essor 4 B-5060 Sambreville BELGIUM

Tel +32 71 750 380 Fax +32 71 750 390 sales@nanocyl.com **US contact** info-us@nanocyl.com







Date: 9 June 2009 Revision N°3

PLASTICYL<sup>TM</sup> PA1501 / MSDS / Page 2/5

Supersedes: 11 March 2008

Ingestion:

Get medical if necessary. No specific measures have to be taken if the

product is swallowed.

# 5. Fire-fighting measures

Suitable extinguishing media: Water fog, Foam, Carbon Dioxide, Dry Chemical.

Specific hazards:

Protective equipments: Wear self-contained breathing apparatus. Wear suitable protective

clothing.

Combustion products: May form toxic materials, carbon monoxide, carbon dioxide,

hydrocarbon and hydrogen cyanide.

#### 6. Accidental release measures

Personal precautions: No specific measures are necessary. Avoid contact with skin, eyes and

clothing with molten product. Do not inhale vapours.

Environmental precautions: No special measures required.

Spill Procedures: Collect spilled polymer, pellets; it could cause falls (danger of slipping). If

molten, allow material to cool and place into an appropriate marked

container for disposal.

# 7. Handling and storage

Handling: No specific requirements necessary, if handled at room temperature.

Avoid spilling the product, as it might cause falls. When bringing the material to processing temperatures gases might develop. Provide appropriate ventilation for such processing conditions. Take precautionary measures against explosion risks, as all type of polymers

may develop dust during transporting or grinding of pellets.

Storage: Store container in a dedicate place and under dry conditions. Do not

smoke. Ground equipment electrically. Open flames prohibited.

Nanocyl S.A.

Rue de l'Essor 4 B-5060 Sambreville BELGIUM Tel +32 71 750 380 Fax +32 71 750 390 sales@nanocyl.com **US contact** info-us@nanocyl.com



Date: 9 June 2009 PLASTICYL<sup>™</sup> PA1501 / MSDS / Page 3/5
Revision N°3 Supersedes: 11 March 2008

### 8. Exposure controls / personal protection

Hand protection: Wear heat resistant gloves when handling molten material.

Skin and body protection: No special skin protection requirements during normal handling and use.

Respiratory protection: Wear appropriate respirator when ventilation is inadequate and the product is

heated.

Eye protection: Chemical goggles or safety glasses.

In case of contact, ensure prompt removal from eyes, skin and clothing. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and leaving work. Facilities storing or utilizing this material should be equipped with an eyewash facility.

# 9. Physical and chemical properties

Form and Color: black pellets
Odor: odorless
Melting point/range: 263°C

Boiling point: not applicable
Viscosity: not applicable
Vapor pressure: not applicable
pH value: not applicable

Density: 1.165
Solubility in water: insoluble
Ignition temperature: > 400 ℃

Danger of explosion: product is not explosive

NOTE: The physical data presented above are typical values and should not be construed as a specification.

### 10. Stability and reactivity

Stability: Stable under normal handling and storage conditions. Hazardous

polymerization will not occur.

Nanocyl S.A.

 Rue de l'Essor 4
 Tel +32 71 750 380

 B-5060 Sambreville
 Fax +32 71 750 390

 BELGIUM
 sales@nanocvl.com

**US contact** info-us@nanocyl.com





Date: 9 June 2009 Revision N°3

PLASTICYL<sup>TM</sup> PA1501 / MSDS / Page 4/5

Supersedes: 11 March 2008

Materials to avoid: Strong oxidizing materials.

Hazardous decomposition: No hazardous decomposition products known at room temperature.

# 11. Toxicological information

Sensitization: No data available.

Inhalation: No data available.

Skin: No data available.

Eyes: No data available.

When used and handled according to specifications, the product does not have harmful effects according to our experience and the information provides to us.

### 12. Ecological information

Biodegradability: The product is not biodegradable.

Environmental precautions: /

### 13. Disposal considerations

Product: If the material becomes a waste, consider it as special waste. It can be

destroyed by incineration in accordance with local, state and federal

regulations.

Container: Empty containers can be landfilled after cleaning, when in compliance with the

Environmental Protection Regulation.

# 14. Transport information

According to national and international guidelines, which regulate the road-, rail-, air-, and sea transport, this product is classified as not dangerous.

Date: 9 June 2009 Revision N°3

PLASTICYL<sup>™</sup> PA1501 / MSDS / Page 5/5 Supersedes: 11 March 2008

# 15. Regulatory information

### Labelling according to EEC Directive

The material is not subject to classification according to the EEC lists and other sources of literature known to us. Observe the normal safety regulations when handling chemicals.

# 16. Other information

The contents and format of this MSDS are in accordance with EEC Regulation REACH 1907/2006 art. 31.

**Disclaimer:** Nanocyl s.a. provides the information contained herein in good faith and makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this material.