



THE CARBON NANOTUBE SPECIALIST

NANO-ENGINEER YOUR FUTURE

THERMOCYL

Date: 13 May 2009

Revision N°2

THERMOCYL™ NC123 Part A / MSDS / Page 1/5

Supersedes: 22 September 2008

THERMOCYL™ NC123 Part A Material Safety Data Sheet

1. Identification of the product and the company

Trade Name: THERMOCYL™ NC123 Part A
Type of product: Carbon/silicone polymer mixture

Company: Nanocyl sa
Rue de l'Essor, 4
B-5060 Sambreville
Belgium

Phone: + 32 71 750 380 (office hour)
Fax: + 32 71 750 390
E-mail: info@nanocyl.com

2. Hazards identification

This product is not dangerous product for health and environment

3. Composition/information on ingredients

Components	N° CAS	% (wt.)	Classification
Vinyl silicone polymer	68083-19-2	> 80 %	/
Synthetic graphite (Carbon nanotubes)	7782-42-5	< 20 %	/

4. First aid measures

After skin contact: Remove contaminated clothing immediately. Wash contacted skin areas with plenty of cold to lukewarm water and soap. If irritation develops, consult a physician.

Eye contact: Hold the eyes open and rinse with water for a sufficiently long period of time (at least 10 minutes). Obtain medical attention if pain, blurred vision, swelling, burning or redness persist.

After inhalation: If vapours are inhaled, move the person into fresh air, keep warm and allow to rest. If breathing is difficult, oxygen may be administered and medical attention should be obtained.

Nanocyl S.A.

Rue de l'Essor 4
B-5060 Sambreville
BELGIUM

Tel +32 71 750 380
Fax +32 71 750 390
sales@nanocyl.com

US contact

info-us@nanocyl.com

www.nanocyl.com



THE CARBON NANOTUBE SPECIALIST

NANO-ENGINEER YOUR FUTURE

THERMOCYL

Date: 13 May 2009

Revision N°2

THERMOCYL™ NC123 Part A / MSDS / Page 2/5

Supersedes: 22 September 2008

Ingestion: Do not induce vomiting. Rinse out mouth with water, and then drink sips of water to remove taste from mouth. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Obtain medical attention.

5. Fire-fighting measures

Suitable extinguishing media: Water fog, Foam, Carbon Dioxide, Dry Chemical.

Specific hazards: /

Protective equipments: Wear self-contained breathing apparatus. Wear suitable protective clothing.

Combustion products: May form toxic materials, carbon monoxide, carbon dioxide, silicone oxides, formaldehyde.

6. Accidental release measures

Personal precautions: No specific measures are necessary. Usual precautions as with any chemical.

Environmental precautions: Collect for disposal. Avoid discharge to natural waters, sewers and biological waste water treatment plants.

Spill Procedures: Use absorbent material to collect and contain for disposal. Contain large spills and pump into a suitable tank. Wash area with suitable detergent and thoroughly rinse. Approach suspected leak areas with caution (slippery surface).

7. Handling and storage

Handling: Good ventilation of the workplace required. Handle in accordance with good industrial hygiene and safety procedures. Contact with the skin and the eyes must be avoided. Wash with soap and water before eating, drinking, smoking, applying cosmetics, or using toilet facilities. Launder contaminated clothing before reuse.

Nanocyl S.A.

Rue de l'Essor 4
B-5060 Sambreville
BELGIUM

Tel +32 71 750 380
Fax +32 71 750 390
sales@nanocyl.com

US contact

info-us@nanocyl.com

www.nanocyl.com



THE CARBON NANOTUBE SPECIALIST

NANO-ENGINEER YOUR FUTURE

THERMOCYL

Date: 13 May 2009

Revision N°2

THERMOCYL™ NC123 Part A / MSDS / Page 3/5

Supersedes: 22 September 2008

Storage: Keep only in the original closed container in a dedicated place. Keep containers in a cool, dry place with adequate ventilation. Keep away from open flames and high temperature. Storage temperature between 5-40 °C.

8. Exposure controls / personal protection

Hand protection: Protecting gloves, for example in nitrile rubber.

Skin and body protection: Wear gloves and other clothing as required to minimize contact.

Respiratory protection: Wear appropriate respirator when ventilation is inadequate.

Eye protection: Chemical goggles or safety glasses.

In case of contact, ensure prompt removal from eyes, skin and clothing. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and leaving work. Facilities storing or utilizing this material should be equipped with an eyewash facility.

9. Physical and chemical properties

Form and Color: black viscous liquid

Odor: odorless

Ignition temperature: ca. 430 °C

Flash point: > 130 °C

Viscosity @ 25 °C: < 4000 cP

Vapor pressure @ 25 °C: < 1 mm Hg

Vapor density: > 1 (air = 1)

Density at 20 °C: ~0.98 g/ml

Solubility in water: Insoluble

NOTE: The physical data presented above are typical values and should not be construed as a specification.

Nanocyl S.A.

Rue de l'Essor 4
B-5060 Sambreville
BELGIUM

Tel +32 71 750 380
Fax +32 71 750 390
sales@nanocyl.com

US contact

info-us@nanocyl.com

www.nanocyl.com



THE CARBON NANOTUBE SPECIALIST

NANO-ENGINEER YOUR FUTURE

THERMOCYL

Date: 13 May 2009

Revision N°2

THERMOCYL™ NC123 Part A / MSDS / Page 4/5

Supersedes: 22 September 2008

10. Stability and reactivity

Stability: Stable under normal handling and storage conditions. Hazardous polymerization will not occur.

Materials to avoid: Strong oxidizing materials can cause a reaction.

11. Toxicological information

Sensitization: No data available.

Inhalation: No data available.

Skin: No data available.

Eyes: No data available.

12. Ecological information

Biodegradability: No data available.

Environmental precautions: Do not allow to enter ground soil, sewage, drains.

13. Disposal considerations

Product: If the material becomes a waste, consider it as special waste. It can be destroyed by incineration in accordance with local, state and federal regulations.

Container: Empty containers can be landfilled after cleaning, when in compliance with the Environmental Protection Regulation.

14. Transport information

According to national and international guidelines, which regulate the road-, rail-, air-, and sea transport, this product is classified as not dangerous.

Nanocyl S.A.

Rue de l'Essor 4
B-5060 Sambreville
BELGIUM

Tel +32 71 750 380
Fax +32 71 750 390
sales@nanocyl.com

US contact

info-us@nanocyl.com

www.nanocyl.com



THE CARBON NANOTUBE SPECIALIST

NANO-ENGINEER YOUR FUTURE

THERMOCYL

Date: 13 May 2009

Revision N°2

THERMOCYL™ NC123 Part A / MSDS / Page 5/5

Supersedes: 22 September 2008

15. *Regulatory information*

Labelling according to EEC Directive

The material is not subject to classification according to the EEC lists and other sources of literature known to us. Observe the normal safety regulations when handling chemicals.

16. *Other information*

The contents and format of this MSDS are in accordance with EEC Regulation REACH 1907/2006 art. 31.

Disclaimer: Nanocyl s.a. provides the information contained herein in good faith and makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this material.

Nanocyl S.A.

Rue de l'Essor 4 Tel +32 71 750 380
B-5060 Sambreville Fax +32 71 750 390
BELGIUM sales@nanocyl.com

US contact

info-us@nanocyl.com

www.nanocyl.com